

SUPPORTING INFORMATION.

Passive solid-state adsorption of gaseous ozone by simple transition metal oxides.

Alexander W. McEttrick

Table S1. Raw ozone concentration data for each trial.

No oxide	O3 (ppm)	CuO trial 1	O3 (ppm)	NiO trial 1	O3 (ppm)	ZnO trial 1	O3 (ppm)
0 mins	0.40	0 mins	0.38	0 mins	0.36	0 mins	0.36
1 min	0.40	1 min	0.37	1 min	0.29	1 min	0.33
2 min	0.40	2 min	0.34	2 min	0.25	2 min	0.29
3 min	0.38	3 min	0.32	3 min	0.24	3 min	0.27
4 min	0.38	4 min	0.27	4 min	0.23	4 min	0.26
5 min	0.37	5 min	0.26	5 min	0.23	5 min	0.26
		CuO trial 2	O3 (ppm)	NiO trial 2	O3 (ppm)	ZnO trial 2	O3 (ppm)
		0 mins	0.39	0 mins	0.37	0 mins	0.36
		1 min	0.37	1 min	0.28	1 min	0.34
		2 min	0.36	2 min	0.26	2 min	0.27
		3 min	0.32	3 min	0.23	3 min	0.25
		4 min	0.3	4 min	0.23	4 min	0.24
		5 min	0.27	5 min	0.22	5 min	0.24